The
Benjamin Smith Lyman
Collection

Given as a Memorial
to
Forbes Library
Northampton, Mass.
by
His Heirs

1813

A

(3) unnumbered pages out of sequence (?)

B
C

D
E

F
G

II
J

K
L

M
N

Q
R

S
T

X
Y
Z

Land Measuring

for Boards, Glass, Iron, Leads, Coals, Tiles, Bricklaying, and the like Things

The business of Land-Measuring seems to have been carried on first by the Egyptians at the Nilotick Inundations before Christ. It consists in the use of Lines, Measuring-Rods, Chains, Wheels, Sights and Plans of Lands or Grounds, and in the drawing forth or dividing the same; and the measurement may be made again on the ground if need be. The word Land, as in Land-Measuring, is nearly a part of the earth [illegible] for it includes everything of note that is fixed, as Houses, Buildings, or Stones of Water, and Pavements of the earth above it; except as trees, corn, grass, or other things that grow yearly, and are severed from the ground annually, which are properly called Moveables, but in particular the Measuring should be done with Rod and Chain, the Measuring Rod should be divided into Links, and the Chain should consist of 100 such Links.

I. Measuring.

In measuring Errors and Mistakes in Counting are often made, and it is therefore well to check a measurement by making it again; not perhaps so nicely, but in such a way as to make sure against such mistakes.

Even with the greatest care a measurement made by man is never sure to be thoroughly exact, but it is plain that if it be made over and over again with [illegible]

2

[illegible] the means [illegible] of [illegible] will be likely [illegible]
sometimes more than the [illegible], sometimes less, so that the mean
of all the readings will in likely to be more exact than any
one. This likelihood of being thoroughly exact is called the
precision (sharpness) of the measurement; and the precision
of the mean of several equally precise readings is known
(on the method of least squares in the Theory of Probabilities)
to increase as the square root of the number of readings.
For example: the mean of four equally precise measurements
[illegible] will be twice as precise as any one of them [illegible]
[illegible] as precise as [illegible] of sixteen [illegible]
[illegible], or twice as precise as [illegible]
[illegible] as precise as [illegible]. It is clear therefore that
[illegible] has [illegible] value; and where [illegible]
great [illegible] in measuring [illegible], a [illegible]
must [illegible] be made more than [illegible] times.

A measurement may often be checked very well by
other measurements [illegible] in some way [illegible] the
length of one line [illegible] of a certain length on the
line.

The shape and size of a piece of land can be made
out from the mere plan [illegible] enough readings of
it points. The measuring chain, [illegible] to the way
of fixing the points, and [illegible] suitably choosing points for
[illegible].

1° Fixing Points.

The place of a point is fixed by its height above a given level (in large land measurement commonly the sea level) and by the place of the vertical plumb line from the point to the level. The place of this point on the level is fixed by its distance, and direction, or bearing, from lines or other points on the same level. A level surface is the earth, and the sea level, is well known as the flat, or more level, but the surface of a small, very slightly inclined bulk.

The measurement, ... the either, or level measurement (A).

2. Level measurement.

To fix the place of point ... might by a plumb line as it were of a common level with the measurement on the level ... of distance, and, b, of fixing (c.) and, c, ... both in such a way as to fix the point (c.).

It was formerly customary to make measurements along the slope of the ground instead of the ... such a ... we must changing whenever the slope should by ... or by man be changed, and the ... they called ... laid down in small ... plan ... flat ... ... often helping and leading to

Drawing materials. The plan of ascertaining or to bring off the plotted
to the common level is called [illegible] the method of collimation
in most cases first laid down [illegible]
[illegible] measured on the plan gets ground, but the
in working off the level the level instruments are derived
only from the [illegible] measurements and [illegible] angle.

Plotting. The distance between any two points must
be measured along the shortest level line from one to the other
as the plot shows the line would be straight, and may be laid
off for level distance on the earth, on a perfect ball the world
[illegible] great circle in one flat plane with the centre of
the earth, [illegible] a flat ball every line
[illegible] would have a circle round
the [illegible] or more convenient. To get the distance of any
[illegible] to the [illegible] and to [illegible]

Signalling. How to know a [illegible] to [illegible]
line is not clear a signal cannot be seen from one end of the
[illegible] to the other unless the [illegible] [illegible] with the line
but a shorter or [illegible] line will [illegible] a signal can
be seen from one end to the other may be taken as a
or at least as a great circle upon a ball, and may be laid
on the ground without offsetting beforehand and [illegible]
[illegible] many [illegible] instruments. This is clearly done when
[illegible] both ends of the line can be seen from [illegible]

a

03

Aiken, 18 Nov. 1870.

[illegible]
Aiken.

[illegible] Yesterday [illegible] of
[illegible] I [illegible] at yesterday's [illegible]
[illegible] [illegible] kind. Mr. [illegible]
[illegible] [illegible] you I beg to urge my appeal
[illegible] and [illegible] Ku Klux [illegible] having [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] Constitution [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] me, I am in want of many
[illegible] [illegible] moments.

Awaiting & hope for an immediate
answer I remain

Yours Truly,

Benj. Smith Lyman.

Lima, febrero 4 [illegible]

Sr. Oficial Mayor [illegible]

Cancillería [illegible]

S/D.

Si gusta cumplir con [illegible]
[illegible] me [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]

1 [illegible]
1 [illegible]
1 [illegible]
1 [illegible]
1 [illegible]
2 [illegible]

[illegible]

Yedo; 18 Nov. 1873.

My dear Father:

I have to thank you very much for your favor of the 24th of June received on the 28th of September, and for another of the 2nd of September received yesterday. After receiving the former there was as I understood no chance to send an answer earlier than my own coming [illegible] and for this reason also I brought with me a letter [illegible] I am delighted to hear that you are living [illegible] office, and trust we will find it very agreeable. I hope [illegible] of your investments in coal & the [illegible] life as not having any very good foundation and I trust that you will get [illegible] years of quiet and [illegible] before you. As far as income is concerned I am sure that I shall be delighted to do what I can & practice all my efficiency that may [illegible] your salary or from the increase of taxes, and from present appearances there will be no difficulty in my doing so. I hope that the present financial crisis that we are just hearing about and that seems to make some trouble to the banks, may not cause any losses either temporary or permanent to the funds you are interested in; but even in that case I may perhaps be able to make them good as far as you are concerned and it would certainly be a pleasure to do so. — When your first letter came I was approaching Nikkodate, and after it was nearly all the time within a day's visit or two of that town. But there were many points & the visited where [illegible] and I [illegible] and the peninsula & the coast of Nikkodate and then spent a week & the westward of [illegible] town, and finally a week at Nikkodate waiting for [illegible] and to come in with his party and for the steamer to

60

The mail which we had expected to sail in was already on
on its trip from Yokohama to Hakodate and we came in
a Russian steamer, the Courier, which happened to come along
just then. It is a vessel that goes every year to the Kurile Islands
and Kamtschatka cruising about & many ports pick
up furs. The owner of the vessel Mr. Philippeus was on
board, a Russian as well as the Captain, but both talk
English and German (the) remarkably well, and had been
much in America. Besides that there was a German merch
from a Russian port two days sail west of Hakodate who
had also been in America and talked english extremely well.
The other passengers besides our party were all Japanese;
it was something exceptional for the steamer to carry pass
at all. According to their habit they burnt on the voyage very
little coal, only 40 or 50 tons a day the steamer was
one of the 10 or eleven hundred tons) and we were four days
on the way. Decidedly the weather was pretty fine almost
all the time and the water smooth for the most part
I was not once downright sick and got along well
without a state room. [illegible] (I must finish this in the morning) — 4 PM. (7). — On arriving at
Hakodate again & the same rooms I had last year and was
gratefully settled them. Just 6 nights and journey and I will
be with Mrs. Williams, whilst the Kaitakushi still lends in part its aid — nothing
I need to furnish the Mikado's land & will be glad to provide a house
& expend and lets these few rooms cost as rent. The assistants and
I intended to present ourselves in a body & Mr. Kuroda the morning
after our arrival (we got here Friday night); but found that Protestant
"Sabbath" so occupied him that he could not be seen. He said in the
letter changes are going on in the Government since I had
left Japan & that his Embassy round the world, and the affairs
of the Kaitakushi are found to be undergoing investigation. His account of the
Kaitakushi has spent ten million dollars in the last four years
& this economy, and has little or nothing & therefore expects a [illegible]
[illegible] workers and shoot gates in better places,
[illegible] retain individually [illegible] their
[illegible] & [illegible] and stay all along connected to the
[illegible] [illegible] in which to
[illegible] [illegible] and the foreigners.
[illegible] [illegible]

Feb. 1 [illegible] 72.

Dear Mary:

A few days after writing you the accompanying letter I was much pleased to receive your favor of the 22nd ult. and duly paid [illegible] and made [illegible] to Plumber and Steamfitter. I am very happy [illegible] to late letters not having reached us in London since [illegible] and that [illegible] is always in a [illegible] way [illegible]. [illegible] I [illegible] and [illegible] all along [illegible] and [illegible] would [illegible] [illegible] [illegible]

in Texas should send me his card, but even a news of the gift did not reach me until the day of my arrival at Galveston. We dined on the 5th Mr. Hunt & I at the same table for which I also take some credit as having taught him as well as the other associates — & work pretty hard. Indeed they have all done very well and on their return to Hartford [illegible] Mr. Hunt & I are then in good season to be present at the completion of their handsome & useful Asylum. Then a pedestrian tour in which I visit their relatives and visit [illegible] and eventually Hartford. Even laboring men in Texas are supplied [illegible] with their bottle at dinner — You will be amused to learn that most of the servants are Negroes. They do your washing & eat the same food as the Masters when you are in America as well as in Europe. I do, of course, in the only sense in which the words in my former letter could be taken. We are using the interpreter [illegible] you observe & feel when there. It is hardly intelligible.

I [illegible] by taking [illegible] lessons and lounge in Germany. Often my good natured landlady; that is carrying the thought of economy a little too far. It would seem. He would not have been still better pleased to meet with a woman [illegible] in reality [illegible] and the power of doing himself the vanity of learning by [illegible] a conversation. He might perhaps have been gratified & learned to say it was by obtaining from such models more food & amusement a dance of Kisses but [illegible] so many hundreds among [illegible] Mathematical Students. Many thanks for kind information as to the physicians believe on the subject of food and climate backed up by Mr. Delamotte's opinion; [illegible] conversation would have been equally grateful when you [illegible] heard read. [illegible] I shall [illegible] think my own opinions on this matter [illegible] any physician younger than myself [illegible] his consideration and few physicians [illegible] their opinion about it after the age of [illegible] [illegible] [illegible]

[illegible]

Weida, 24 Aug. 1761.

To the Rev. Mr. Lewis

[illegible]

Sir

[illegible]

I enclose herewith a list of the Names of the Negroes needed, and beg that they may be sent down to me with the least possible delay, as it is most important that we should get in the crop, before it is quite too late.

[illegible]

[illegible]

[illegible]

List of Chemicals and Apparatus

Packed by Mr. Hewett.

1861 and 2d

For assays and analyses:

[illegible] Alcohol for assays 1 bottle
[illegible] Ammonia and Chloride
[illegible] Nitric and Muriatic Acids
[illegible] Nitrate Silver and Test Tubes
[illegible] Litmus Paper and Test
[illegible] Solutions of
2 doz. glass stoppered bottles.
[illegible] Caps, and Corks.
[illegible]
5 [illegible]
[illegible] Corks
[illegible] Watch glasses
[illegible]
1 lb tin foil.
24 Combustion tubes.
1 Camel's hair brush
6 Evaporating dishes
2 Iron stands
2 Alcohol lamps.
1 Bellows
1 [illegible] Tank
2 pounds glass tubes, assorted
2 doz. test glasses.
1 Platinum Crucible
1 Iron ring stand.
1 Porcelain stand
[illegible] Covers.

1 Wash glass
12 funnels.
12 porcelain crucibles.
1 gross Sandbach filtering paper.
200 assorted ash filters.
1 gross corks.
1/4 rubber tubing
2 glass rods
10 rubber corks.
4 pieces copper wire gauze
2 assaying furnaces, to be built on
Combining & assaying of the

For Lecture in Chemistry:

Sulphuric
Nit
Muriatic
Iron
Turpentine
Alcohol
Nitric sulphuric
Alumbic

Apparatus for analysis by ...
a ... &c
2 tall glass jars
3 bell jars
1 Galvanic battery
2 glass tubes
3 platina wire
2 funnels with ...
4 large glass jars.
... of tube, right ... two
glasses.
Iron and platina wire
Cambric.

For Blowpipe Analysis

For assortment are
3 dozen ... bottles (1 oz)
... glass stoppers ... bottles
12-8 oz.
1 a wash glass
3 a small white ... cups
3 test tubes
1 " funnels
1 " small flasks
Filter paper
6 or 7 small knives.
3 or 4 agate or glass mortars.

For assortment, Blowpipe

3 complete nickel plated
Blowpipe apparatus made
by Single, not Solomon
and Co and Griffin.
Every assistant are furnished
set of Blowpipe apparatus
for qualitative work.

Yedo, 25 Nov. 1870.

To the Hon. K. Kuroda,

Minister of the Kaitakushi.

Sir: The report to the Secretary of the Kaitakushi has been shown me, as the time when [illegible] assistants can carry on their work in connection with the Japanese, and I have [illegible] agreement with the Kaitakushi is [illegible] Minister of the Interior, and I [illegible] Governor of Hokkaido, [illegible] with the Kaitakushi. [illegible] Consulate, it would [illegible] Japanese [illegible] additional help [illegible] Hokkaido and I [illegible] would be very satisfactory [illegible] our [illegible] at the same time [illegible] Kaitakushi [illegible] Japanese assistants [illegible] Kaitakushi [illegible] Japanese assistants [illegible]

Hoping that you may find it right to make the removal of the records now in question, I have the honor to remain,

Sir,

Your most obedient Servant

Benj. Smith Lyman.

and I want the least public exposition or
before you could deliberately & the least violation
disposing of property of a kind so much liable
suffer by Capitalists. Even if you had any
consent to desire such a declaration the public
opinion would very justly be too great that he
could transfer one to such whether hands any
of them to any person in like manner that
in any body take steps to obtain information
of concerning you in regard to the interests
of Texas, & the course that he is to take
in the event of the Convention and Congress of the
United States. On the other hand if they
don't succeed, [illegible] no notice of your [illegible]
to any body whatever any public confidential steps
upon, during the Session of their getting
said and that a [illegible] of party absent at the time
when wanted to [illegible] to Texas.

I have the honor to be,

Sir

Your most obedient Servt

Wm. Wharton

Preliminary Report

on

Field Notes Work

of the

Geological Survey

of Texas,

by Eugene Smith Engineer

25 Dec. 1873.

Preliminary Report on Work done by
the Geological Survey of Iowa.

Page

Nature of the Survey 1
Limits of Survey 1
General Plan 2
Fossils 3
Topographical Method 4
Advantages for Surveying the Geology 4
" " Telling forth 5
Surveying required of the Geological Survey 6
Assistants 7
Their Good Behaviour 7
General Nature of their Work 7
Benefit of the Work to them 9
Instruments 11
Office Work 12
Plans of Roads & Surveys 13
Economy of Geological Surveys 14
History of Operations 15
End of April & 1 July 15
1 July to beginning of October 17
Beginning of October to middle of November 19

Geology of the Kern Mountains
Volcanics
Lava
Old
Volcanic Table Rock
Volcanic Rock
Tertiary Conglomerate
Coal Measure Rock
Sandstone Conglomerate
Tertiary Deposits
Coal
Argillaceous
Sandstone
Limestone
Metamorphic
Granite
Quartz
Coal Measure
Limestone
Recent

Creek 61
Limestone 61
Mill 61
Washington 61
Rock Hill 62
Washington 62
Lamar Co 62
Edgewood 62
Mineral Springs 62
Table 62
Summary 62

Helena, Mont., Dec. 1, 1872

Prof. F. V. Hayden
Librarian Smithsonian Institution.

Sir:

Mr. Gilbert Thomas was to report to you fully at this office in regard to the [illegible] geological work in Texas. He it [illegible] was three days' work of the party and [illegible] in camp awaiting the [illegible] Shasta and while waiting at [illegible] gave me a verbal report of [illegible] and the surface [illegible].

The work according to your direction [illegible] confined to the southeastern [illegible] Colorado, and I [illegible] that about one third of the island [illegible] the lower part of the peninsula [illegible] was visited, by the direction of [illegible] assistants; also a portion of mineral [illegible] reported on the region contiguous to [illegible] have taken three months or more [illegible] them, and then are still prospecting [illegible]

...need of geological interest without making
...addition long and difficult excursions away
...the already unwieldy alluvial plains
...that border the lower Rio.

Within the region examined the writer has
...to learn something definite in regard to
...few important points at least, while there is
...go over much more ground and observe many
...more and wholly important information since
...is certain that he would give results
...times more valuable than the other. All
...these, however, where useful minerals were
...looked for is said have been visited with scarcely
...single exception, even though they often proved
...to be worthless either in quantity or quality and
...passing from one point to another an effort
...been made to learn as far as possible
...general geology of the region aside from the
...useful minerals merely.

For this purpose also a number of fossils
...have been collected at several places, and
...they will probably be useful not only in the
...ranging works of the same age at other points
...these, but in determining their age relations

pared with the rocks of the rest of the world, and so possibly enabling conjecture to be formed sometimes of the quantity and quality of certain minerals they are likely to contain. A more minute study of the fossils is of great interest to palaeontologists and of great value for the progress of learning, and I would urgently recommend placing the collection in the hands of somebody specially skilled in such matters to be studied, described and published. As our libraries here in Japan are so defective in this branch of learning I say nothing of the lack of a man well skilled for the study it would probably be best to send the fossils abroad. There are yet so few fossils and too little knowledge of large collections of the number hardly justifies the employment here for the present at least of a foreign palaeontologist for these alone. For the education of the youth of Japan in general it would however no doubt be desirable to have such a foreigner come here, and if one should come, these fossils might be entrusted over to him.

For the survey the American Geographical Society has been made by the creation and improvement of which [illegible] in its earning details on the small scale, [illegible] discovery of the general laws on a large [illegible] geology owes as much to Professor J. Peter Lesley of Philadelphia, as I had the honor of having about two years ago in a [illegible] the American Institute of Mining Engineers. The method is indeed, as compared with others in geology what quantitative analysis is to chemistry; to mere qualitative analysis. And it is no less important for theoretical purposes than it is useful for practical ones. It strives to determine the extent and position of mineral deposits both underground and as they outcrop by means of laying down on paper the shape of the surface of the ground by Contour lines, as well as all the different kinds of the rocks that can be observed, so that the contour of any rock bed or vein may be drawn as it is even underground and its contacts above or below any given level or within any given limits may be

calculated. In short the [illegible] and the deposit are geometrically constructed on paper. Of course, just as a chemical quantitative analysis may be more or less exact according to the instruments used or according to the difficulties of the case, so these geological surveys are only roughly exact when poor instruments are used or when the case is specially difficult; but almost any case are far better than merely qualitative observations alone. They are exact as far as they go, definite and precise while ordinary geological surveying so called gives vague and conjectural results, just as the qualitative analysis of a mineral enables the quantitative composition only to be guessed at.

The topographical method moreover gives the maps very much the best means of comparing and clearly setting forth the observed geological facts and the conclusions arrived at. From such a representation of the facts inferences can readily be drawn by others independently of the observer's opinion — con-

firming or offsetting his judgement. The results of the Reader's work then will be not merely personal opinions but facts so gathered and arranged that in future any other geologist can form his own conclusions from them with no need of revisiting the ground unless a more detailed survey should be desired.

A quantitative measurement naturally requires much more time and work than a mere qualitative one, and that has hindered the more general adoption of Lesley's method in countries where time and work are dear, in spite of its abundantly counterbalancing advantages, and has even caused professed geologists to remain in ignorance of it and of its merits. There is perhaps no country in the world whose surface has already been topographically mapped minutely enough to answer in a detailed measurement of the rock depths, and only few countries which have been mapped well enough for somewhat more general geological purposes. It is therefore necessary

for the geologist to undertake the mapping of the surface as well as of the underground features; and he can do it better for his purpose than a mere topographer because his work is guided by the geological structure.

The assistants you kindly furnished me have added very much to the amount of work that could have been done by any one man; even though they were young and inexperienced and for the most part wholly ignorant at the outset not only of geology but of surveying, drawing and even almost of common arithmetic. They have been very useful, partly because they have eagerly and rapidly learned what they could in a very short time, and partly because such duties as require much work of a comparatively simple character.

Mr. Henry S. Munroe, the American assistant, was by his former studies much better fitted than the Japanese assistants for undertaking such work, although it was in great part practically new to him. He entered on it with interest and intelligence and

has worked industriously and faithfully. He was especially useful at first in teaching the Naval drawing, and in the field has had charge of the details of the work of one half of them and the whole management of the field surveys under very general instructions. Of the Japanese assistants Mr. T. Yamauchi by his greater age and therefore more advanced education and matured judgement has easily stood at the head. Mr. H. Satow, besides his remarkable success as interpreter and his good service as an assistant in surveying has with admirable zeal made for me an excellent botanical collection. My Quartermaster since August, Mr. T. Akiyama, from mere love of learning frequently made himself very useful also in surveying though it was quite outside of his required duties to do so. He has therefore more than replaced the single assistant whom it was found necessary to dismiss. Mr. Munro's Quartermaster Mr. T. Ishidi has thankfully improved the opportunity of his abundant leisure on the Foothills by making an interesting collection of insects. All the assistants (including besides those already named, Messrs.

Inagaki, Kuwada, Mitsawa, Takahashi Kata
saka and Saito) with a laudable desire to do
even more than their mere duty and I be
forward the interests of the survey and with
eagerness for their own improvement have
done more than could be reasonably exacted
from them, or at any rate in addition to
bearing many hardships cheerfully have
worked harder both bodily and mentally
than even laboring men in Japan are com-
monly expected to work with their bodies a-
lone

I have tried to turn the assistants' services
to the best account by giving them the simpler
but more time taking work to do, while I my-
self (after they had had a few weeks practice)
visited a larger number of places more rap-
idly and attended especially to purely ge-
ological observations where either little other
work was required or where it was done by
the rest.

Besides the aid they have given, notice should
be taken of the benefit to them and to the em-
pire of the knowledge these Japanese have

gained by their season's labor. They are not only the first Japanese but the first Asiatics to take the study and practice of geology, and although the training of native geologists in India has been begun nearly at the same time (or is soon to begin) I trust that ours will continue to take the lead, and that Japan will become in a few years independent of foreign countries in their profession. The young assistants have not only learned something of surveying and geology, but have in the field work had under them each two or more laborers for rod men and choppers and have therefore gained a little experience in the management of men, a matter of very great consequence, if they are ever to be put in charge of important mining works. It is, however, a matter to be wholly neglected in the training of the young men in all but the military schools of foreign countries although quite as needful in civil or mining engineering or in agricultural affairs as in military.

On account of the shortness of the time

[illegible] and [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]

13

14

sufficient exactness by the time the whole of Yesso should have been gone over on the present system. In regard to the general geology of the field of this years work some important points remain still undetermined, such as the relative age and the superficial extent of certain groups of rocks; but some of them will perhaps be made known by the winters mapping while others may be cleared up by the surveys of other parts of the island, or may possibly require special examination at some future time

Many places were visited where valuable minerals had been supposed to exist, but where they proved to be deficient either in quantity or in quality. Indeed on the island of Yesso as almost everywhere else the chief directly practical benefit of a geological survey is far more in saving the expence of foolish outlay in mining worthless deposits than even in guiding productive work; and much money would have already been saved in Yesso if some

patient man had long ago been employed to examine the deposits properly and authoritatively discourage the working of mines whose ruins now remain as monuments of the credulousness of human nature. This however does not do in the countries leads most men to the ruinous belief that the luck of a deposit that is hidden deep within the earth is better than the hard exposed near the surface; so that good deposits are sure to be worked however unskilfully even without the recommendation of a geologist; while bad ones are apt also to be tried until his advice puts an end to further waste of money. It would be very interesting if the millions wasted all over the world in foolish mining that would have been prevented by a good geological examination could be compared on the one hand with the perhaps hardly greater profits of successful mining and on the other with the relatively trifling cost of such a survey.

On coming in years towards the end of April we took up men to Safpore according to the instructions given at Leds; expecting to begin

at that time the survey of the [illegible] region
country to the north hitherto geologically unexplored.
But owing to the reported high stage of the Ishikari
River we were directed to go first southward
for forty or fifty days to the coal mines at Kayanoma and its neighborhood. After finishing
the coal survey I sent Messrs. Munroe, Sato
Inagaki, Uesawa, Koda and Saka still further
southward to make a somewhat detailed
survey of the Toshibets gold region against my visit
there in September, and then to go on toward
Hakodate; as they afterwards did, making rapid
surveys of the small gold regions near Kuduri
and Esashi and of the coal mines at Kayanoma.
The other five assistants and myself arrived
again in Sapporo at the end of about fifty days
having visited the gypsum at Yunai in the Kaida
Mountains (apparently before it worked), the zinc
blende, galena and copper pyrites vein near
Yudomari and Saitkadzuki (quite too thin to
work), the place of the supposed coal at Furubira
(merely a lump of coal that had been brought no
doubt by some boat or by the hand of a man and
dropped on the river shore). On the way many

17

out, according to instructions, we went quite around the Shakotan peninsula, without however hearing of any minerals of economical importance; though we had an interesting view of the rocks as we passed along, sometimes by land where there were roads, at other times by sea. After a week of office work and preparation we left set out from Sapporo for the coal field on the Horomui, a branch of the Ishikari; from a rapid survey of which we returned to Sapporo in just a month, after many needless delays and hardships occasioned by the neglect of duty and incompetence of the quartermaster then with us.

From Sapporo I sent Mr. Yamanoshi and the three other assistants then left with me to Horikaf to make a small addition to the Kayanoma survey against my revisiting that place in company with Genl Capron and myself visited the Noboribetsu hot springs, and Oyubari ornament stone (worthless as it turned out) near the Jozan hot springs on the upper waters of the Toyahira, and afterwards according to instructions accompanied Genl Capron to the

[illegible]

mouth of the Ishikari, to Tobetsu and then to Horikap and Kuyanoma, on the way visiting the Jyuites place near Rubeshibe, which proved however to be quite insignificant. After inspecting the work of the four assistants at Horikap and making a survey of the Shatsunai and Shibui harbors and a visit of exploration across the mountain to the Furubira River, I took the assistants to the Iwaonobori sulphur place, and made with their help a hasty survey of it. From there I sent them to begin surveys at Yamakushinai and Washinoke; while with Mr. Akiyama I went myself across the Shiribeshi valley to Mori on the East Coast, and visited the sulphur place there, which turned out to be wholly unimportant. We went then still further northeastward along the coast to the sulphur place at Nukabiratsu Hot Springs, and then to the one on the top of Tarumai volcano. Returning southwestward we visited personally discovered ores of zinc, lead and copper on the Horobetsu, and found them to prove worthy and also investigated a reported discovery of coal at the mouth of the Washibetsu near Mororan.

[illegible] a usual time of [illegible]
[illegible] from which [illegible]
[illegible] [illegible] as far
as known. We [illegible]
[illegible] with his party [illegible] Kawa gold
mine [illegible] did [illegible] none of his may
[illegible] behind and no special
[illegible] always he had made after
a day or two of examination of the gold and
ings we went to Yamakundinai. Here with
the help of the rough mapping of Mr. Ya-
maoki's party the oil [illegible]
ore sand of the beach were examined and
the daily yield of oil was measured

From Yamakundinai Mr. Higuma
and I made a short trip to the old Landing
of Yuraf, and left some details instruc-
tions in regard to the survey to be made there by
Mr. Munroe and his party. Thence we went
to Washinoki visiting the Bore and Kuwae
Hot Springs while passing Otoshibe. At Wash-
inoki the oil place was visited and the geo-
logical observations of Mr. Yamaoki and his

party were shown, reviewed and their work just then finished was inspected. They were then sent to Idzumisawa & make in like manner a map of the oil place there. Mr. Akijama and I fixed the position of the Washinoki limestone, visited the Shigorikawa Hot Springs and the Torizaki insignificant lignite and oil gas, all near Washinoki. Then going Northeastward along the shore we visited the Tomi Hot-Springs near Shikabe; the sulphur place (unimportant as it proved) on the top of Komangadake; the Shikabe Hot-Springs; the Isoya hot springs; ~~the~~ the Kamuchitomari lignite between Isoya and Kumadomari (found to be quite unworkable); the Obune Hot Springs; the Kakumi Hot-Springs; and the Esan sulphur mines of some importance. Then turning Northeastward and westward along the shore toward Hakodate we visited the Kobui gray sulphur mines, the Kobui iron sand; the Setanai worthless pyrites and coke clay; the Ishigaki limestone; the Yamakawa hot Spring; the Yamakawa coal; the Kamiyamakawa limestone and hot Spring. Then westward from Hakodate we visited

the Idzumisawa (or Kamaya) oil spring, and with
Mr. Yamauchi and his party reviewed their
geological observations and inspected their whole
survey at that time about finished. Then we
visited the Mohejikawa brick kilns and
mills; the Tomigawa lignite (quite unworkable,
as it proved); and the Ichinowatari long abandoned
coal mines (very justly abandoned as it
seems). Then with Messrs. Yamauchi and Tanakadate we visited the very abundant lime
stone of Garonotawa, and on our return were
joined by Messrs. Kuwada and Saito and
we all came to Hakodate on the first of November, the field work all done. The next day was
very stormy and much snow fell at the Furuyama mines where Mr. Yamauchi's party had been
working, and they all hastened in accordance
with my instructions to Hakodate. They arrived
on the seventh, on the ninth much more snow
fell even around Hakodate; and on the tenth
we all started for Yokohama and came
directly to Yeddo.

The part of [illegible] in the vicinity of [illegible]
in the following groups of rocks
Alluvium, Peat and Soil
Volcanic Rocks
Volcanic Rocks.
Rocks of the Nubet Kraft System of Folds
Coal bearing Rocks, or Rocks of the Horumui Kurile System of Folds,
Rocks of the Horumui Kraft System of Folds
[illegible] Rocks of the Kurile System of Folds

Alluvium. — Along the Iturup River and its
fluvial plains in all about fifteen miles (25 k)
wide and forty miles (sixteen Ri) long, and
similar smaller plains are found [illegible]
large streams, the Shiretoko, [illegible]
ren, Horikapu, Yurapu and many [illegible]
ge, making admirable farming sites, only
the lack of roads at present. The soil
now generally to be very good even [illegible]
and supports a rich growth of wild plants. The
best exception is in the neighborhood of Nemuro
where for many miles around even
low plains [illegible] The low [illegible] have [illegible]
viewed by travelers as very much to [illegible]
fertility. Yet even here a rich black soil, in some

placers this [illegible] thick exists at the depth of only about [illegible] below the surface of the ground.

On the Hoi [illegible] the Toyahira and elsewhere [illegible] lignite [illegible] feet three feet or more [illegible] are exposed in the alluvium, very recent looking lignite with the woody fibres and form plainly seen. This lignite is also found in beds on the Shiribetsu and the Tarumbira. At Kobui there are eight feet or more of peat.

A somewhat older alluvial deposit almost everywhere along the coast forms gently sloping plains from a few yards wide to several hundred between the mountains and the seashore often spread out in fan shape just outside the mouth of narrow valleys; and as it has been eaten into by the sea it forms bluffs in many places. The bluffs are not by any means always made wholly of the alluvium, but often merely capped by it. The height of the top of the bluffs is often pretty uniform for a good distance, but varies in different places from a score of feet to a couple of hundred. Such gently sloping plains at the foot of bluffs have been called marine terraces, and their materials terrace deposits.

1.

but the latter would perhaps be a better name. 29
True marine (or lake) terraces seem to have been found nowhere on the shore except two or three one above another near Hakodate, especially at Idzumidzawa. If they were caused by different stages of sea level it would be strange not to find similar terraces on other parts of the coast. Possibly therefore the sea between Yesso and Nippon (either in part or wholly) was once a closed basin with its water standing successively at different heights. The rocks that chiefly make up the terraces are probably older than the loose alluvial matter with which they are covered, so that they may have [illegible] time when the outline of the land was very different; and volcanic action may have [illegible] the changes.

Volcanic-pebble Rocks. — Much of the low part of the portion of the island is covered with rocks that are chiefly made up of pebbles of volcanic rocks. Such pudding rocks are found especially in great thickness around Awanai and along the coast northward around the Hakodate peninsula. The pebbles sometimes

25

[illegible] these fragments of volcanic rock and
[illegible] the finer sand like material
in which they sometimes lie embedded, and they
are often very much rounded as if by water.
These beds of rock have been called "Tufa Con-
glomerates" but would seem rather to be the re-
sult of the wearing away of volcanic rocks by
water. They have much the same dip as the regular bearing rocks, or even
strata and rest perhaps conformably on them.

Volcanic Rocks. - The volcanoes that have
within historic times been in action or [illegible] still
have active sulphur vapors seem to be mostly
along the shores of Volcano Bay and the ad-
joining coast. Beginning at the north there are
Tarumai, Shuburibetsu, Usu, Komangadake,
Esan; and beside these is Iwaonobori near
Iwanai on the West Coast. Of these Tarumai
had a small eruption about the first of March
20th of 1st month 1867, and a larger one twenty
years before, both of pumice; and Komangadake
one on the 23 September (26th of 8th month 1856 also
of pumice; these only pumice volcanoes met with,
and the only ones that have been active within
historic times. They are about 55 miles apart.
Besides these partially active volcanoes are many

[illegible] had proved to have long been extinct.
[illegible] highest, most symmetrical and beautiful of
[illegible] all is Tauhara Mountain perhaps 6000
[illegible] feet high above the sea, and almost a regular
[illegible] cone. It stands fifteen miles (direct) southeast
[illegible] of Iwanui half way between the two coasts,
[illegible] either one of which has here for some distance
[illegible] nearly circular outline with that mountain
[illegible] for the centre. Possibly old eruptions of
[illegible] volcano may have had an influence on
[illegible] the position and outline of these parts of the
[illegible] coasts though it is not obvious upon a cursory
[illegible] examination of the rock and topographical
[illegible] details. A large part of the rocks of the South
[illegible] end of the Island, say from Tapapore Southward,
[illegible] are volcanic, of latest porphyrite in structure,
[illegible] and several old ruined craters apparently are
[illegible] still to be seen, as for example on Hakarimata
[illegible] Mountain.

Tokatoka Traffic System. — At the Tokatoka gold field, and further southward are rocks with dips from 30° to 25° or even less with strikes bearing north five degrees east (magnetic) or thereabouts. These rocks contain on the Tokatoka

[illegible] Survey [illegible] Agassiz and Sanford [illegible]
[illegible] with [illegible] of the [illegible]
[illegible] are [illegible] [illegible]
[illegible] [illegible] [illegible] rock; [illegible]
[illegible] [illegible] and very [illegible]
[illegible] rocks of that group at Yezo across the
harbor from Hakodate are two or three thin beds
of earthy brown compact lignite much newer
looking than the Kayanome and Horonui coals,
though much older than the lignite found in various
places in the alluvium. This folding may conveniently be called the Yezo-Ezo system,
for the sections of the Yezo-Ezo survey will probably
show the rocks folded by this system more fully
than any other. [illegible] think that they
have here a thickness of three thousand feet,
with reddish brown soft sand rock at the bottom
at above that almost wholly greenish gray soft clayey
and rocks or sandy clays with some balls of
limestone near the bottom and here and there in
the places bands of pebble rock. This description, except the red rocks at bottom, answers
nearly also for the rocks of Idgunnian-
na.

Coal Bearing Rocks. The coal measures on Mt. Kayaroma and on the Horonnui river dip northeast about north fifty degrees east (magnetic) with dips of thirty degrees to sixty degrees, steep on the northwest side at Kayaroma, and on the southeast side on the Horonnui; and seem to be of comparatively recent age, perhaps tertiary, from the appearance of fossil leaves on the shales. A number of fossil shells found on the Horonnui field will perhaps determine the age more exactly. The coal very much resembles the coal of the Rocky Mountains of about the end of the cretaceous and beginning of the tertiary. At Kayaroma the coal bearing rocks seem at the edges of the field to be overlain by the volcanic pebble rocks; the underlying rocks have not been seen. In the Horonnui field the coal measures seem to be underlain by rocks of the Horonnui Karafuto system of folding. The coal rocks of the Kayaroma field are mostly light gray shales, with but one exposure of limestone, a three foot bed. In the Horonnui field the rocks are mostly blue gray shales having in certain parts beds of limestone with fossil shells; one bed of limestone was found

28

dark. The direct parallelism of the axes of the coal
rocks to the trend of the whole Island also
to justify the conclusion that Korsakovsk
for [illegible] Hill.

Korsakovsk Strata Section. The rocks just
mentioned as dipping under the Korsakovsk
Coal have a nearly vertical dip and a
strike of north three degrees or four degrees east
(magnetic). They are at least six hundred feet
thick, and are black gray shales and pebble
rocks coarse and fine, all much older look-
ing than the coal rocks, as if somewhat meta-
morphosed. The pebbles of the pebbling rocks are
of granite, hyenite, or other ancient crystal-
line rocks, such as are not seen at all
in the overlying beds. No fossils have yet been
found in these older nearly vertical beds. The
close parallelism of their strike to the general
trend of the Island of Sagalin (Karafto) and of
the northern part of Nippon is very noticeable
and seems to justify giving to coal rocks for
the name of the Korsakovsk Karafto System.

~~Intimately [illegible] System,~~
~~with the Dunbridge [illegible] and first~~
~~Near the Tomigawa [illegible] System~~
~~to the Second [illegible] limestone,~~

a much older looking rock than portion of it by obvious planes and apparently much greater thickness. If a mile from Kaipara it be of nearly the age with the Waitemata rocks of Tauhinau, while the more recent looking rock near it of similar strike would seem to be newer than the brown coal measures and to have been folded by a lateral action than that of the Hauraki Kaipara system though nearly or quite in the same direction.

Tokatoka basalt system. On the Tokatoka Mt. Maunroe found the ancient looking rock generally quite soft in place which has nearly northern and southern strike with many vertical dips. Pebbles of similar granitic rocks are found on the headwaters of Kaipara River and perhaps elsewhere. If these be really (as they seem) older than the rocks of the Hauraki Kaipara system to which they probably furnished the crystalline pebbles, the folding of the rocks of the island would seem to have been twice alternately about northeast and about northerly in direction, and the folding of these crystalline rocks may be said to be the oldest system

Of course in some systems of rocks there are great series of very different age; but as more precise determinations of the relative age of the rocks has yet been made, all the thickness of the rock belonging to each system is put very great and each group has throughout an appearance so uniform that there is probably no very great difference in the age of their different parts.

The useful minerals of chief importance in the field gone over this year are Coal, iron sand, sulphur, limestone, gold, coal tar and mineral springs, and traces of silver, lead, zinc, manganese and copper.

Coal. — The Kaipara Coal Field is about seven miles (three ki) north of Kaiwaka and one mile and a half (half a ki) from the sea shore and covers half a square mile or (say 400 000 Tubo). The beds of coal lie in the form of a saddle running nearly north fifty degrees east (magnetic), the axis passing through the Shebui valley. The coal of the present mines dips steeply (fifty degrees), but in other parts of the

[illegible] the [illegible] [illegible] [illegible]

The present mines are situated on the [illegible]
from the sea [illegible] at present shipping place
on Lasqueti. [illegible] very much exposed
[illegible] to be used in a dangerous rocky place
and [illegible] attention was given to the question
of shipping the coal elsewhere. Our maps will
probably show the possibility of building a
tramway with ease and without tunnelling
from the neighborhood of the present mines to the
Shibui Harbor close to Chetamain, less than two
miles distant in a straight line. Such a road
would start from the lowest natural drainage
level of the bed now mined, must lower than
the present mines and near the foot of the second
inclined plane, and thence away with the third
also would with a very gentle down grade pass
along the hillside and over the lowest gap in it
and then descend more rapidly to the shipping
place. If the last descent should prove too steep
as to require a plane it could perhaps be so
arranged that the loaded cars should draw
the empty ones at a little greater height than
the bottom of the gap. A road [illegible] would run
all the way down hill to [illegible] against [illegible]

has also been placed at present for the Chatham Bay, but it would be more for the [illegible] coal [illegible] but [illegible] easily be [illegible] from this coal at any time of the year.

The harbor entrance is narrow [illegible] the south part of Kiska Harbor [illegible] at low water on ebb tide 375 feet long by 200 feet deep from the northern end of the [illegible] ridge of rocks, and some 250 feet more [illegible] the [illegible] and a little smaller one in line with it would make a land locked harbor of [illegible] deep water [illegible] feet or more deep, and give protection [illegible] the rear of the dock from all winds except [illegible] degrees west to northwest by west [illegible] more from the Northwest, a space of [illegible]. It seems an [illegible] proposition to [illegible] an artificial harbor, the breakwater would be not only in shallow water but on

short in comparison with the surface protected, the stone for building would be in the cliffs at the very starting point of the breakwater. The entrance to the harbor would be wide, deep and easy, and the only streams emptying into the harbor are two small brooks which could not silt it up. On the other hand the Awanui poorly sheltered harbor is the next best resource, and it is four miles distant from the coal and separated from it by the Horikapa River and the hill next it. To the foot of this hill however the country is flat, and a tunnel of perhaps only a thousand feet would reach a thick bed in the Whatumai valley from the Horikapa side.

The Hokianga Coal Field near the head waters of the Hokianga and about twenty seven miles (eleven ri) east northeast of Kopo Kopo is part of what would seem to be a very large field. Our Railway this year went on a portion of it only about three miles (¾ ri) long by half a mile (seven cho) wide, because that seemed enough to show what part of the field was near the navigable water of the Hokianga, and what it would be best to open mines there for.

down the [illegible] coast [illegible] ground
[illegible] a straight line from the Kaeaa,
and is separated from the bluff by a small bay.
[illegible] information was given some months ago
[illegible] that coal was known to exist
on the Torachi river some twenty five miles (ri)
[illegible] the [illegible] coast, [illegible] by a continuation
of the same field, since the general strike
of the coal is about north fifty degrees east
(magnetic) Coal is also said to be found on
the south side of the mountains between the
Horomui and the East coast and
likely it belongs also to the same field. In
that case there would seem to be an
of some thirty miles (twelve ri) in length
by perhaps as much in breadth.

In the portion we traversed we found the
beds to lie in the form of a saddle running (as
at Kayanoma) about north fifty degrees east (magnetic)
with a steep dip of some sixty degrees on the south
east side and a gentle one of say forty five
degrees on the northwest side. The rocks are ex-
posed above the coal bearing rock within the

[illegible] of the coast passing, [illegible] underlying rocks [illegible] are disclosed in the cliff of the neighboring [illegible] and are clearly [illegible] to the [illegible] [illegible] [illegible]

We have not taken a sounding yet, but
one was taken with lead and line
this morning. The coal is much firmer than that
of Nayanomo and will therefore bear carriage
a distant transportation better
than does. In the portion of the coal that we
went over there would seem to be [illegible]
millions of tons of coal above the natural
drainage level. The hills are high (some
five hundred feet) and the larger valleys are
wide enough for mines to be opened near
the points where the outcrops of the several
cross the streams. ¶ It is a dozen miles (five
ri) to the nearest water navigable for large boats
(the Ishcari River) and the country between seems
to be wholly a flat plain, mostly covered with
heavy (but rather open) timber, with here and
there treeless prairies and sometimes swamps.
From the nearest point of the Ishcari the distance
by river to the sea is about miles and
the water is said to have been found by Lieut.
Saya survey this season to be deep enough for
vessels drawing fourteen feet, except on the bars
at the mouth where for a short space there are but

twelve feet at low tide. In another direction a railroad might be built over almost wholly level ground to the excellent harbor of Mororan about eighty miles (thirty two ri) distant. Unquestionably the amount of coal in the fields would enable the shipment of coal enough to repay amply the cost of such a road.

[illegible] (three beds from two to four feet thick) were also found by Mr Munroe to be interesting from the fact that a mile there had a strike of about north fifty degrees east like the coal rocks of Hokkaido and the Horonnai.

Iron Sand. The only mineral that has yet been found in any quantity in Yezo is magnetic iron sand. It is most abundant on the south shore of Volcano Bay, especially near Yamukushiri. It is also found in some quantity near Kobui on the eastern end of the peninsula east of Hakodate. Though these two are the only worked places yet found the magnetic iron ore is also found in some quantity on many a beach

and in the sands of many a river bed. Indeed traces of it at least are found in almost every deposit of sand, even though not noticeable to the naked eye before separation by a magnet. It is distributed through many of the wide spread volcanic rocks of the island and from the wearing away of these rocks, their reduction to sand and concentration of the heavier ore by the washing of the tides and waves or rivers that ore deposits are due.

The iron sand deposit on the shore from Yorke & Otterhitee and perhaps a little beyond at either end is say ten miles (four lg) or 17600 yards (8800 km) long by twenty yards (ten km) wide on the average and perhaps half a foot thick on the average; making in all 58667 cubic yards (7333 cubic km). The ore looks very rich in many parts but is generally mixed with a notable amount of other sand. If it would average eighty per cent of pure ore there would be about 120 000 tons of it which would contain 8700 tons of iron. The ore seems to contain a certain amount of titanium, for all the old lava near there

its quantity of lime are to make it more fusible. The old iron
the ore was found laid to work alone, and was mixed with half
[illegible] half a mile from the [illegible]
miles and a half [illegible] from [illegible]
were first built some ten years ago worked
a couple of years, were [illegible] a year and a half
lasted some four or five years and were
finally abandoned three years ago and now
are in ruins. There were two bloomary fur-
naces large bellows worked by water each.
The furnaces were worked only in the summer
six half of the year; eight workmen were em-
ployed daily in two shifts, four in each, and
5800 Br. (700 kamme) it is said were made
these days, that is 1933 lbs in one day (eight
in some exceptional case only). The amount of
charcoal burned was three and a half times
the weight of iron produced, they say, and
now one quarter of a cent a pound (two and
a half ören for the kamme) formerly it was
little cheaper. For the mine washing of the ore
there is plenty of water in the small stream
that cross the iron sand and might dig
the ore at every little distance. The dam
places would float down wood for charcoal
to be used in smelting, and the daylight from

the Swamp valley would be very large. Below the [illegible] road [illegible] from [illegible] there is a very large amount of [illegible] sand [illegible] underlying layers of [illegible] boring places, and with [illegible] it is quite [illegible] more are [illegible] wanted.

At Kohuru Village [illegible] over [illegible] miles below [illegible] from [illegible] is a deposit of easily [illegible] sand. At the [illegible] it is about [illegible] thick but thins out to a knife edge in all directions from that. The whole length of the deposit is about six hundred yards, almost all (say five sixths) of it [illegible] than (one [illegible] of a foot) or comparatively poor. There are perhaps in all 250 cubic yards (thirty one cubic [illegible] containing perhaps [illegible] cubic yards or say four hundred tons of pure ore, which would hold 250 tons of iron.

About a mile (half a mile) [illegible] from Kohuru village is some more [illegible] at the mouth of the Otaki River. One was taken here and at the village for the last

between [illegible] and [illegible] is probably [illegible] on the Mataporo; but should [illegible] one was abandoned within the [illegible] years ago. About ten years ago a high boat load it is said of tin stone (perhaps one ton and two thirds) of sand was sent from the mouth of the Otira river to the ironwork near Yamukashima to be mixed with the ore there as already mentioned. No other working of the sand has been done. The rich part of the deposit is about thirty yards (fifteen fathom) in diameter with a thickness of two feet and eight inches at the centre; and contains perhaps 700 cubic yards of sand of which perhaps 500 yards or 1000 tons may be fine ore, containing 725 tons of iron. On this place for four hundred yards or ½ broad Kobui is poorer sand, formerly thought to be poor to work some [illegible] yards wide and perhaps a foot thick on the average, making in all 3 667 cubic yards, containing perhaps 2000 cubic yards or 4000 tons of pure ore holding 2900 tons of iron. That would make in all at Otira 3500 tons of ore con[illegible]

3630 tons of iron. But these estimates of the richness of the sand at all the places are mere guesses from looking at it, as no assays have yet been made of the samples taken. No more solid bed of black ore is known in this region.

At Shirikishinai on the sea shore near Kobui and twenty five miles (ten ri) from Hakodate is a small bed of iron sand say a hundred yards long by twenty five yards wide and said to be one foot and three tenths thick at the thickest place, and containing therefore some 100 cubic yards. The sand does not look very rich and holds perhaps in all 140 tons of pure ore or 100 tons of iron. The sand was worked seven ten years ago and during three years after that for a furnace on the Monobonai river near by at two miles (thirty ri) from the mouth. The furnace is said to have been oblong square in form, seven feet long by four wide and four feet high and built of clay; and to have been of the kind used in Nambu, the neighboring province of Rikuzen. The iron they say was soft and

pretty good, though not the best, and its working was abandoned from the smallness of the quantity of ore.

No vein of solid ore has yet been found anywhere and most likely there is none. In one case however, in a gully on the side of the volcano Komangadake a layer of magnetic iron sand a foot thick was found regularly bedded with the other volcanic rocks and about seven feet and a half from the surface of the hill. It is 1150 feet above the sea and two miles and a half (one ri) distant from it. It seems to be exposed nowhere else and its extent and persistence in thickness is quite unknown. Above it is only loose pumiceous which would need to be stripped off in case the ore were worked. Perhaps it may at some future time be thought worth working and can then be explored by digging but at present it does not seem worth while.

The whole amount of pure ore in the principal workable deposits is perhaps 12500 tons containing 9000 tons of iron. Only 5300 tons of the ore (containing 4000 tons of iron) are of the easily smelted kind.

Mostly sand, though not to such; over it
were lying were deposited from the dwellings
of the Neanderthal type.

The strata of debris are less well known
over there, and never fully that is true. In
one Cave however, in a gully on the side of the
Pyrenean Serrania pedata a layer of vegetable
was found a part thick was found regularly
labeled with the other Prehistoric strata and of
Great stone platforms made from the surface
of the soil. It is 1150 feet above the sea level
made, and is built (one of) distant from it.
It seems to be Glacial moraine like and
patent and Pleistocene in thickness a gentle
inclination. Above it is only loose pumice which
would mean the eruption of the
Lava mountain. Probably it was at this time
the Mount it would overhang and can this
be explained by clinging into of Pleistocene
does not mean ~~the~~ it.

The whole movement for of Lava are in the
Pliocene Neolithic deposits in Pleistocene
are Containing 41000 feet of stone. Only
3300 feet are Containing 4800 feet of stone
as quite recently discovered Neolithic.

Sulphur. — The sulphur occurs mostly with the craters of more active volcanoes. Hot sulphur fumes rise through small crevices and deposit yellow sulphur on the cold surface of the ground forming a crust more or less impure with a mixture of partially decomposed rock. The shape of such deposit is extremely irregular and often rather invisible in many parts: so that the precise extent can hardly be measured except very roughly. At the place at Esan (the only mine worked at present) some four acres of the surface over which the deposit is scattered seemed to be covered with sulphur earth. The thickness of the sulphur layer there is about half [illegible] but the lower part is so impure [illegible] only one twentieth to one fifth of a foot, [illegible] one tenth on the average, is at present worth gathering. This gathered impure mixture yields it is said four tenths of its weight sulphur. If this be taken as a guide in estimating the quantity of the different places there would be at Esan (assuming roughly) two kotan or about eighty thousand tons of sulphur in

below, but the workmen there estimate it as
mountab less than one fourth of that, owing partly
lapse in part to its having been worked and in places
since the working has been going on for a dozen years
on a small scale. There may perhaps be thirty
tons (or nearly 200 koku) left.

The Esan sulphur is on the northern side
of the crater of a volcano long inactive and
on the close adjoining slope of the mountain
just outside the crater. The elevation above
the sea is from 1250 to 1550 feet and beyond
the distance is about a mile and a half
as long half as). In the middle of the plain half
a mile in diameter that now fills the old
crater, stand the small sulphur works,
where for a dozen years (until summer work)
the sulphur earth has
been purified by melting. It is melted three
times over in three large pots ten feet in di
ameter and three in depth. The stones and
dirt mostly sink to the bottom of the pots and
are separated so; but the sulphur after the
last melting is obtained through thick canvas
Five men do the whole work of gathering
the sulphur, bringing it to the furnaces, tending

the melting and packing the sulphur in bags to be carried to the sea shore at Watarai. One hundred koku or about fifteen tons of sulphur are made in three months at the following cost according to the workmen.

	En	En
Wages of five men at 2/0		30,00
Food for five men for three months		
Rice	16,87½	
Miso	9,00	
Soy	5,62½	
Salt	0,56½	
Pickles	4,50	
In all	36,58½	36,58½
Iron pots		189,00
Woodfuel 75 cords at 1,06¼		76,93¾
Cotton bags		53,12½
Picks, hoes, hammers, skimmers and tools etc.		33,87½
Kegs for moulds		18,75
Mats and ropes for carrying sulphur to the coast		10,87½
Mats and ropes for carrying sulphur to Watarai		28,75
Horse hire for carrying sulphur		15,37½
		513,25
Carriage of sulphur to Watarai		25,00
		538,25

	£	s.	d.
Wages of Foreman ...	3	0	0
Wages of Fitter ...	2	10	0
Wages of Turner ...	2	0	0
Wages of Smith ...	2	0	0
Wages of Fireman ...	1	10	0
Wages of Labourer ...	1	0	0
Wages of Labourer ...	1	0	0
Wages of Labourer ...	1	0

49

At the present, sulphur at Hakodate is said to be from three hundred & three hundred and fifty dollars (£60) per 100 koku. It is possible that there is some mistake in the statement just given, but it is also possible that the sulphur is manufactured at a decided loss. Since the wood costs at Hakodate only eight, seven and a half cents (5 sen) for one cord, the saving in respect to it, if the furnaces were on the shore would just about equal the additional expense of bringing down here the impurities of the sulphur earth, and there would besides be many advantages in having the furnaces here. Horses could go all the way from the sea & the mines. The great expense for kettles would be reduced one half by working at night also, instead of merely keeping the sulphur liquid in the kettles as at present. Although sulphur is so valuable and rare a mineral, no royalty is taken for it, in order, it is said, to encourage its manufacture.

The sulphur on the top of Tarumai Volcano about nine miles (3 3/4 R.) from Tarumai village on the sea shore is wholly within the inner crater of about 600 yards in diameter

and 230 feet below the edge of the outer crater lip
is about 3000 feet above the sea. There are three
of the craters only, one of them is crescent
shape about four hundred yards long by twenty
yards wide the other about thirty yards long by
twenty yards wide; making in all them a surface
of 8600 square yards. Reckoning the same average thick-
ness of workable sulphur earth as at Esan,
there would be about Thirty five tons (or over 200
koku) of sulphur to be won here. The very ex-
tensive fumeroles as at Esan must be con-
stantly adding to the deposit, but how rapidly
there is at present no means of judging. The pres-
ent deposits however have probably accumulated
since the last eruption, a small one about seven
years ago. The sulphur was formerly worked for
three years, but abandoned thirteen years ago.
The ruins of the furnaces with flues for at least
five pots are still to be seen about two miles,
(twenty seven chō) below the mines. Horses could
go all the way to the mines from the sea.

The sulphur on the hill of Iwaonotori is
about fourteen miles (5½ ri) from the sea at
at Iwanai, and about 3500 to 3800 feet above the sea.

The sulphur deposits cover [illegible] square yards and would contain by the same reckoning as at Esan perhaps seventy five tons or 150 koku of sulphur to be won. The ruins of the old sulphur works abandoned forty years ago after many years of work are just below the mines and seem to have been larger than those at Tarumai. The road to them from Tarumai is passable for horses and even beyond that as far as the mines; but the last two or three ri are abominably bad, though a good road for horses could be built without very great difficulty. If the Shiribets valley as it deserves should be opened up by a wagon road from Horoby the distance to the road from the sulphur mines would be perhaps only a couple of miles (or a ri). The sulphur fumes are less abundant here than at Esan and Tarumai.

The Atsubetsu sulphur is found in a small valley close by the Atsubetsu hills rising about nine hundred feet above the sea and [illegible] about four miles from the sea shore at a point [illegible] miles (15 ri) from Horobira. The sulphur placer lands [illegible] old crater

Though possibly it may be [illegible] found however this [illegible] and other appearances [illegible] [illegible] [illegible]

a few miles (2 or 3 and a half or two M.) from the
Inn village near the mouth of that river on the
sea shore; and partly at a place known
this year as a branch of the same stream
called a marsh. Both marsh and [illegible]
of a settled [illegible] [illegible]
would make the [illegible] of all the
[illegible] places. The [illegible] [illegible]
[illegible] [illegible]
one foot thick
[illegible]
[illegible]
[illegible]

be sold in x'mas of [illegible] probably in a [illegible] or [illegible] but it is not likely to be very much in thickness nor very widespread. The same may be said of the newly discovered gray sulphur a mile to northwest, which however is exposed for a space of a hundred feet in length in the bank of a small stream and has a few yards in length [illegible] impurities. Perhaps one third of the whole is pure sulphur. It might perhaps be well enough to count upon the hundred tons of sulphur here in all, and twenty five tons at the old mines, but the quantity may prove to be far greater.

The whole quantity of sulphur to get from the places visited this year and seen to be probably five hundred tons (three thousand koku). The coming of our maps may bring about very important changes in these estimates.

Limestone — The principal exposure of limestone is on the small stream [illegible] no. 2 mine, about five miles from Arekawa

[illegible] which is seven [illegible]
[illegible] miles from Harlesdale. The limestone
is exposed in cliffs on the hills either side of the
brook to a height of perhaps six hundred
feet for a distance of some four miles. The
amount then within one yard of the surface would
be (very roughly) some eight million cubic
yards or nearly twelve tons. As the whole
depth is probably many yards, perhaps
hundreds of yards that quantity is very
little compared with what may be supposed
to exist within the hills and may be safely
considered as inexhaustible for a thousand
years. Of that amount perhaps twelve
thousand cubic yards or thirty thousand
tons are already in loose blocks in the bed
of the brook. The quality seems to be very good
indeed, says one half. dark blue limestone, the
other half light grey. It all seems very much
metamorphosed, in some small parts does
look marble; and no fossils could be found.
The cleavage planes are very strongly marked
and often show the dip; but at least one
puddle in the rock (anticlinal) is the shape of

with a course of north five degrees east magnetic
thirteen five degrees in the opposite direction north five
degrees west, & bearing of the Kawaroa trig station
[illegible] apex. A waggon road or a railroad could
easily be built with down grade all the way about
four miles to the sea shore. Wood at the time
time costs two dollars a Japanese cord (125 feet).

On the sea shore at the western end of the
village of Ishigaki the rocks (four miles east of
Nakodate) begin an exposure of gray and in
places banded limestone about 150 yards long
in cliffs on the side of a bluff eighty five feet
high. The whole amount in sight may per-
haps be 2000 cubic yards or 5000 tons. No
doubt a far larger amount exists behind
what is in sight; namely 15000 cubic yards
or 40.000 tons for every sixty feet (one km back
from the face of the bluff or in 100 yards, 3000
cubic yards or 7.250.000 tons.

The [illegible] limestone about five miles
(8 or 9 ri) northeast of Nakodate is exposed on both
sides of a very small valley here and there
for a space of a quarter of a mile. Say 800
cubic yards or 2000 tons (very roughly speaking)

steam is required. The quality is good, and the kiln is in use twice a year for burning the lime it makes. The kiln is thirteen feet high by six feet in diameter. Eight bushels (and it is said) of one 1750 lbs. 210 [illegible] of lime at a time during three days, and three hundred and a half of the stone to all. Nine cubic cords [illegible] wood, at $1.75 [illegible], [illegible] $16.00 [illegible]. The carriage of one hundred [illegible] is $0.15 or $0.20 a mile. Lime at Yarmouth is sold for $2.00 the [illegible] 5100 miles. Stronger road to Yarmouth could be made with very great ease, as it could be almost wholly on nearly level ground for from Ewch and Bees.

About a mile from Caledonia on the road to Bear River there is a deposit of [illegible] which is [illegible] with clay, but in burning may make strong lime. The process is as follows: A kiln (square) with a [illegible] of [illegible] feet on the side and one of eight feet deep is [illegible] [illegible]

To Pothuber's Kraft system of portfolios. 28

thickness of the limestone is about four yards in all beds some resembling many clay-shales perhaps may also [illegible] only a quarter of a mile (½ km) inland and have an average height of [illegible] above the level of the surface of the ground. The whole amount would be [illegible] cubic yards [illegible] [illegible] [illegible]

Gold.— The Cabul gold field surveyed [illegible] in the form of [illegible] and scales of [illegible] The [illegible] rocks are of the Vindhyan Series consisting chiefly of soft sand stone and clay stone. No gold bearing quartz vein has yet been discovered, but the grains of gold occur in the ravines and nullahs which run into the gold bearing [illegible] The gold bearing [illegible] [illegible] are known to extend [illegible] along the river from [illegible] and [illegible] and to [illegible] [illegible] [illegible]

of gold to a million dollars worth. In these the cost of working the gold would be an item of small importance in estimating its value. The streams seem to furnish ample amount of water for washing the whole of the auriferous matter by hydraulic method for working these long flumes. It is hardly probable however that so low and small a grade would pay for working on a large scale, working by hand as before stated yields about twenty cents a day to each laborer, rather scanty wages per diem. The very richest part of the field, as I do consider it, is somewhat richer ground may be found there, down the grade as it slightly larger in that direction. The channel of the valley is narrow and must be very much confined in places as can always be expected in mountain gorges. Near Kullors the channel found was a third of a square mile of gold bearing dirt four & eight feet thick, lower than that the bedrock, a decaying or "marlite" rock, not much worse than rock. The whole value of the gold within that field would be then only three eight thousand dollars. But naturally gravels are not called to work at all

[illegible] found on the [illegible]
[illegible] about one mile [illegible] gold
bearing [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible]

[illegible] would [illegible] [illegible]
millions and [illegible] of dollars, and [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
encouragement [illegible]

Rock Bar. — [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
black and as very little [illegible] [illegible] [illegible] the
name of Dr. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
rock pit in the [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
of the Washington [illegible] [illegible] [illegible] [illegible]
similar [illegible] [illegible] [illegible] [illegible]
alluvial gravel [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
alluvial gravel [illegible] [illegible] [illegible]
[illegible] rocks below [illegible] [illegible] [illegible]
[illegible]. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]

The [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] place is that it enlarges towards the depth and width. But the oil springs are confined within a narrow space and would soon [illegible] for a long [illegible] but a small portion of the oil bearing bed of rock. It is not likely that a large vessel [illegible] can ever be got away and as with so steep a dip the depth of well would very rapidly increase according to the distance from the sea coast at which they are bored; the encouragement to such undertakings in view of the small yield of the present wells is not very great

The oil at Yamukuchinai is found wholly within the village in the alluvial ground of a plain 150 yards (75 km) wide that borders the sea shore. The main well dug last year is a hole some ten feet square and eight feet deep loosely walled at the sides with wood. About twenty four gallons were taken here as the accumulation of the past year and in the next day a little over three pints (about one litre) collected here, which was so thick as to have the specific gravity of eleven to

65

grees of Beaumé's scale. Another well somewhat smaller dug by a merchant at about twenty yards (thirty metres) southeast of the main well yields only a few drops of oil in the day. One or two other very small holes one foot or so in diameter have exposed the same black thick oil in the gravel. But all these appearances are within a diameter of about a hundred yards (sixty metres) except a slight trace at a distance of four hundred yards (two hundred metres) south of the main well. The deposit then appears to be of very limited extent; for, although the underlying rock from which the oil probably comes have a dip of twenty five degrees or so and an outcrop meaning doubtless a long distance through the country, there is nowhere else a trace of oil coming from it. There is nothing then to encourage very expensive exploration by boring; perhaps it may be worth while to get what oil can be got by digging small inexpensive wells near the main one, and if they turn out profitable it may sometime be good to sink a small bore hole to a short depth near the main well. The thickness of the oil goes to show that it is a very superficial deposit. Besides the

65

we have been over twenty cubic feet of asphaltic dried fish which would [illegible] the whole people.

The oil at Ookumiowa is in a small lake about a mile from the village and about two miles distance from Kamaya and about half a mile from the sea shore. It is found at the mean water level in mere traces at one time but within ten yards of that. The well dug last year is a hole about four feet by five feet and a half deep and the yield of oil in the [illegible] was [illegible] (about one pint) were taken for a precautionary measure of the past year; and the [illegible] an average of [illegible] and the pits and the quarters (one thousand and a half) were taken which marked eleven degrees Beaume, it was so remarkably thick. The oil comes absolutely from one corner, from greenish gray somewhat shaly broken sandstone with a dip of some twenty degrees. Although much digging has been done about here only traces of oil have been found and not even so much as

the [illegible] part of the more
rarely extended retreat of so [illegible] of us
therefore highly unsuited to undertake the [illegible] of
work along the outcrop, especially very deep ones.
[illegible] of [illegible] being at
the immediate end of altered character in the
lower part of the [illegible]. They have all been
visited in passing over but two or three of the
[illegible] operations, and the main facts in regard
to them have been gathered so far as possible
without a chemical analysis, and are given in
the following table:

Name	No.	Height above Port Castries	Character.	Rock.	Place.	Remarks.
Ti Lake	1	11'	Sulphur with gas.	Blackmud	¼ mile N.W. of the bridge.	¼ mile with [illegible] dependent [illegible] near.
Soufrière	5	97'	Sulphur with gas.	Alluvial earth	On the Soufrière River S. of the place and above by.	6 or more boiling springs with sulphur deposit and [illegible] above the sea. Value of the min[illegible] mass.
	7	63'				
	8	81'				
	9	71'				
	10	48'				

Ijoyan	1	17°	A little	Granite	At Ijoyan	Not 12 to 15
	2	19°	& Granite	Colonies	& Toyabia	& large pieces
	3	15°	Hydrogen		17 miles	1 = 2 = 3
	4	13°			Ijoyan & All	The Same
	5	21°			within 100 yds	Scattered.
	6	22°				
Obame.	1	78°	Sulphur	Alluvial	1½ mi inland	All round
	2	74°	& Hydrogen	gravel	from Ijoyan	& Obame
	3	76°	Hydrogen		down as	All in the
	4	68°			Undzei	Alluvial Plain
Ikoya.	1	72°	Sulphur	Clay	½ mi inland	All visible
	2	69°	& Hydrogen	Soft	from Ikoya	200 yds. and
	3	67°	Hydrogen	Clay.	Extends	not large.
	4	67°	with gas		Lake & River	
	5	66°			mentioned	
Nigovikoan	1	57°	Sulphur &	Alluvium	1½ mi from sea	All round All
	2	55°	& Hydrogen		Above mean	with 50 yds
	3	57°	with gas		Extends ½	½ mile to the
	4	47°	bubbles up at		At the extreme	sea margin
			No. 4.		north	with Alluvial plain
Esan	1	53½	Hydrogen	Alluvium	On Esan Lake	All round
	2	50½	and sulphur		Lake from	with Hydrogen
	3	45?	Sulph. Hydrogen		Extends	All round

					Place	Remarks

Name	No.	Temp.	Remarks	Rock	Locality	Remarks
Sumoto	1	41°	Spring,	Alluvium	Sumoto	No. 1 to 4
	2	38°	Deposit		former bath	in a row
Yumoto	1	38	Deposit and gas	Alluvium	At Yumoto village Inside N.E. of Wakaba	Small.
Bora.	1	33	Deposit and gas.	Alluvium	1 & from Otsu Kitatsuda	Small.
	2	27				
Yunoki	1	40°	Many springs and gas	Alluvium	Echo Bay on inside mouth	Small. Mixed with salt spring
Tomi	1	50½	many fine springs	Alluvium	½ ½ from Yunoki ½ from Kitatsuda	Small
Kamiyama	1	38	many fumaroles	Alluvial Gravel	At Yunoyama Dist. of Kitatsuda	Quality large
Yudanaka	1	33°	Sulphur	Hot springs	At Yudanaka	Water used
	2	32½°	and	Volcanic	in "Oyakawa"	as sweet water
	3	29°	Copious	fissures	near Sakka	
	4	27½°	with gas		Izuki	

Of these twenty one springs, ten are sulphur springs with temperatures from cold to boiling, five iron springs from 27° to 38°, one cold spring with sulphur and the remaining seven springs 33° and 50° F.

Hoping that this statement of the probable results of the season's survey may be of some use to you, I shall wait until they can be worked out more exactly; I have the honor to remain,

Sir,

Your most Obedient Servant

Benj. Smith Lyman,

Chief Geologist & Mining Engineer.

[illegible]